Index of Authors

ADAMSON, A. H. *see* CAPPER, B. S.

ADDISCOTT, T. M. and POWLSON, D. S. Partitioning losses of nitrogen fertilizer between leaching and denitrification, 101

AGRICULTURAL AND RELATED INDUSTRIES STUDY GROUP, Modelling Approaches to the Control of Agricultural Pollution, 397

ALLEN, E. J., O'BRIEN, P. J. and FIRMAN, D. An evaluation of small seed for ware-potato production, 185

ALLEN, E. J. *see also* FIRMAN, D. M., O'BRIEN, P. J.

ALLISON, M. F., JAGGARD, K. W. and LAST, P. J. Effects of straw incorporation on the yield, nitrogen fertilizer and insecticide requirements of sugarbeet (*Beta vulgaris*), 199

ANDRADE, F. H. *see* ECHEVERRÍA, H. E.

ARIF, M., JOSHI, K. L., SHAH, P., KUMAR, A. and JOSHI, M. C. Hatchability of layers' eggs stored and incubated in different positions at 5500′ altitude, 133

ATAJA, A. M., BARRY, T. N., HOSKINSON, R. M. and WILSON, P. R. Effects of active immunization against LHRH and melatonin on growth and plasma hormone concentrations in red deer stags during their second year, 371

ATAJA, A. M., WILSON, P. R., BARRY, T. N., HODGSON, J., HOSKINSON, R. M., PARKER, W. J. and PURCHAS, R. W. Early venison production from red deer (*Cervus elaphus*) as affected by grazing perennial or annual ryegrass pastures, pasture surface height and immunization against melatonin, 353

AUFHAMMER, W. *see* STÜTZEL, H.

AWETO, A. O., OBE, O. and AYANNIYI, O. O. Effects of shifting and continuous cultivation of cassava (*Manihot esculenta*) intercropped with maize (*Zea mays*) on a forest alfisol in south-western Nigeria, 195

AYANNIYI, O. O. *see* AWETO, A. O.

BAKER, D. H. *see* WILMAN, D.

BANDYOPADHYAY, B. K. *see* PAL, D.

BARRY, T. N. *see* ATAJA, A. M.,

BLAIR, A. M. *see* COUSENS, R. D.

BLUM, A., GOLAN, G., MAYER, J., SINMENA, B. and OBILANA, T. Comparative productivity and drought response of semi-tropical hybrids and open-pollinated varieties of sorghum, 29

BOATMAN, N. D. Effects of herbicide use, fungicide use and position in the field on the yield and yield components of spring barley, 17

BORIN, M. *see* GIARDINI, L., PIMPINI, F.

BRAR, A. S. *see* SINGH, D.

BRAR, M. S. *see* SINGH, D.

CAPPER, B. S., SAGE, G., HANSON, P. R. and ADAMSON, A. H. Influence of variety, row type and time of sowing on the morphology, chemical composition and *in vitro* digestibility of barley straw, 165

CLEWER, A. G. *see* SAJO, A. A.

COBON, D. H. and O'SULLIVAN, B. M. Effect of *Haemonchus contortus* on productivity of ewes, lambs and weaners in a semi-arid environment, 245

CONRY, M. J. and HEGARTY, A. Effect of sowing date and seed rate on the grain yield and protein content of winter barley, 279

COUSENS, R. D., JOHNSON, M. P., WEAVER, S. E., MARTIN, T. D. and BLAIR, A. M. Comparative rates of emergence and leaf appearance in wild oats (*Avena fatua*), winter barley (*Hordeum sativum*) and winter wheat (*Triticum aestivum*), 149

CRIM, V. L. *see* HOGMIRE, H. W.

CULLIS, B. R., GLEESON, A. C. and THOMSON, F. M. The response to selection of different procedures for the analysis of early generation variety trials, 141

DASH, N. B. *see* PAL, D.

EGAN, A. R. *see* MCCRABB, G. J.

ECHEVERRÍA, H. E., NAVARRO, C. A. and ANDRADE, F. H. Nitrogen nutrition of wheat following different crops, 157

EVANS, D. R., WILLIAMS, T. A. and MASON, S. A. Residual N effect of grazed white clover (*Trifolium repens*)/ryegrass (*Lolium perenne*) swards on subsequent yields of spring barley, 175

EVANS, E. J. *see* TOMMEY, A. M.

FAICHNEY, G. J. Effect of non-uniform distribution of particle-associated markers on the measurement of duodenal digesta flow by the double-marker technique, 119

FAICHNEY, G. J. *see also* PUNIA, B. S.

FIRMAN, D. *see* ALLEN, E. J.

FIRMAN, D. M., O'BRIEN, P. J. and ALLEN, E. J. Predicting the emergence of potato sprouts, 55

FUJITA, H. and HUMPHREYS, L. R. Variation in seasonal stocking rate and the dynamics of *Lotononis bainesii* in *Digitaria decumbens* pastures, 47

GAILI, E. S. E. Breed and sex differences in body composition of sheep in relation to maturity and growth rate, 121

GIANQUINTO, G. *see* GIARDINI, L., PIMPINI, F.

GIARDINI, L., PIMPINI, F., BORIN, M. and GIANQUINTO, G. Effects of poultry manure and mineral fertilizers on the yield of crops, 207

GIARDINI, L. *see also* PIMPINI, F.

GLEESON, A. C. *see* CULLIS, B. R.

GOLAN, G. *see* BLUM, A.

HANSON, P. R. *see* CAPPER, B. S.

HART, P. B. S. *see* POWLSON, D. S.

HEGARTY, A. *see* CONRY, M. J.

HODGSON, J. *see* ATAJA, A. M.
HOGMIRE, H. W., WIMMER, M. J., CRIM, V. L., WELKER, R. M., WENTZ, E. and SMITH, R. R. Influence of tree growth on spray chemical deposits on peach leaves, 77
HOSKING, B. J. *see* MCCRABB, G. J.
HOSKINSON, R. M. *see* ATAJA, A. M.,
HUMPHREYS, L. R. *see* FUJITA, H.

IQBAL, M. M. Potential rates of denitrification in two field soils in southern England, 223

JAGGARD, K. W. *see* ALLISON, M. F.
JENKINSON, D. S. *see* POWLSON, D. S.
JOHNSON, M. P. *see* COUSENS, R. D.
JOHNSTON, A. E. *see* POWLSON, D. S.
JOSHI, K. L. *see* ARIF, M.
JOSHI, M. C. *see* ARIF, M.

KALRA, A., PARAMESWARAN, T. N. and RAVINDRA, N. S. Influence of planting date on plant losses and yield responses of geranium (*Pelargonium graveolens*) to root rot and wilt, 309
KIRBY, E. J. M. A field study of the number of main shoot leaves in wheat in relation to vernalization and photoperiod, 271
KUMAR, A. *see* ARIF, M.

LAST, P. J. *see* ALLISON, M. F.
LECKIE, D. and SNAPE, J. W. The location and effects of genes modifying the response of wheat to the herbicide difenzoquat, 9
LEIBHOLZ, J. *see* PUNIA, B. S.
LEVETT, M. P. Effects of various hand-weeding programmes on yield and components of yield of sweet potato (*Ipomoea batatas*) grown in the tropical lowlands of Papua New Guinea, 63

MCCRABB, G. J., EGAN, A. R. and HOSKING, B. J. Maternal undernutrition during mid-pregnancy in sheep: variable effects on placental growth, 127
MCCUTCHEON, S. N. *see* PARKER, W. J.
MCLEOD, B. J. *see* WILLIAMS, M. E.
MARTIN, T. D. *see* COUSENS, R. D.
MASON, S. A. *see* EVANS, D. R.
MAYER, J. *see* BLUM, A.

NAVARRO, C. A. *see* ECHEVERRÍA, H. E.
NEMEC, S. *Glomus intraradix* effects on citrus rootstock seedling growth in various potting media, 315

OBE, O. *see* AWETO, A. O.
OBILANA, T. *see* BLUM, A.
O'BRIEN, P. J. and ALLEN, E. J. Effects of date of planting, date of harvesting and seed rate on yield of seed potato crops, 289
O'BRIEN, P. J. *see also* ALLEN, E. J., FIRMAN, D. M.
O'SULLIVAN, B. M. *see* COBON, D. H.

PAL, D., SEN, H. S., DASH, N. B. and BANDYOPADHYAY, B. K. Moisture transport under cyclic trickle irrigations in different textured soils, 109
PARAMESWARAN, T. N. *see* KALRA, A.
PARKER, W. J. and MCCUTCHEON, S. N. Effect of sward height on herbage intake and production of ewes of different rearing rank during lactation, 383
PARKER, W. J. *see also* ATAJA, A. M.
PHILLIP, L. E. and SIMPSON, M. V. Differentiation of the effects of protein status and acid–base balance on the appetite of sheep for lucerne silage, 249
PHIPPS, R. H., WELLER, R. F. and ROOK, A. J. Forage mixtures for dairy cows: the effect on dry matter intake and milk production of incorporating different proportions of maize silage into diets based on grass silages of differing energy value, 379
PIMPINI, F., GIARDINI, L., BORIN, M. and GIANQUINTO, G. Effects of poultry manure and mineral fertilizers on the quality of crops, 215
PIMPINI, F. *see also* GIARDINI, L.
POULTON, P. R. *see* POWLSON, D. S.
POWLSON, D. S., HART, P. B. S., POULTON, P. R., JOHNSTON, A. E. and JENKINSON, D. S. Influence of soil type, crop management and weather on the recovery of ^{15}N-labelled fertilizer applied to winter wheat in spring, 83
POWLSON, D. S. *see also* ADDISCOTT, T. M.
PUNIA, B. S., LEIBHOLZ, J. and FAICHNEY, G. J. Rate of production of protozoa in the rumen and the flow of protozoal nitrogen to the duodenum in sheep and cattle given a pelleted diet of lucerne hay and barley, 229
PURCHAS, R. W. *see* ATAJA, A. M.

RAVINDRA, N. S. *see* KALRA, A.
REDDY, M. D. *see* SHARMA, A. R.
ROOK, A. J. *see* PHIPPS, R. H.

SAGE, G. *see* CAPPER, B. S.
SAJO, A. A., SCARISBRICK, D. H. and CLEWER, A. G. Effect of rates and timing of nitrogen fertilizer on the grain protein content of wheat (*Triticum aestivum*), grown in two contrasting seasons in South East England, 265
SAXENA, M. C. *see* SILIM, S. N.
SCARISBRICK, D. H. *see* SAJO, A. A.
SEN, H. S. *see* PAL, D.
SHAH, P. *see* ARIF, M.
SHARMA, A. R. and REDDY, M. D. Optimum sowing date and nitrogen fertilizer rate for rice varieties under intermediate deepwater conditions (15–50 cm), 179
SILIM, S. N. and SAXENA, M. C. Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 1. Yield, yield components and nitrogen fixation, 325
SILIM, S. N. and SAXENA, M. C. Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 2. Growth and development in relation to yield, 333
SIMPSON, M. V. *see* PHILLIP, L. E.
SINGH, D., BRAR, M. S. and BRAR, A. S. Critical concentrations of potassium in cotton (*Gossypium hirsutum*), 71
SINMENA, B. *see* BLUM, A.
SMITH, R. R. *see* HOGMIRE, H. W.
SNAPE, J. W. *see* LECKIE, D.
STÜTZEL, H. and AUFHAMMER, W. Grain yield in determinate and indeterminate cultivars of *Vicia faba* with different plant distribution patterns and population densities, 343

THOMSON, F. M. *see* CULLIS, B. R.
TOMMEY, A. M. and EVANS, E. J. Analysis of post-flowering compensatory growth in winter oilseed rape (*Brassica napus*), 301

TOPPS, J. H. Potential, composition and use of legume shrubs and trees as fodders for livestock in the tropics, 1

WALTERS, R. J. K. *see* WILMAN, D.
WEAVER, S. E. *see* COUSENS, R. D.
WELKER, R. M. *see* HOGMIRE, H. W.
WELLER, R. F. *see* PHIPPS, R. H.
WENTZ, E. *see* HOGMIRE, H. W.
WILLIAMS, M. E. and MCLEOD, B. J. Strategic milk progesterone testing for the detection of silent oestrus and anovulation in dairy cows, 237
WILLIAMS, S. P. *see* WILMAN, D.
WILLIAMS, T. A. *see* EVANS, D. R.
WILMAN, D., WALTERS, R. J. K., BAKER, D. H. and WILLIAMS, S. P. Comparison of two varieties of Italian ryegrass (*Lolium multiflorum*) for milk production, when fed as silage and when grazed, 37
WILSON, P. R. *see* ATAJA, A. M.,
WIMMER, M. J. *see* HOGMIRE, H. W.

Index of Subjects

Barley
Effects of herbicide use, fungicide use and position in the field on the yield and yield components of spring barley (Boatman), 17
Comparative rates of emergence and leaf appearance in wild oats (*Avena fatua*), winter barley (*Hordeum sativum*) and winter wheat (*Triticum aestivum*) (Cousens *et al.*), 149
Influence of variety, row type and time of sowing on the morphology, chemical composition and *in vitro* digestibility of barley straw (Capper *et al.*), 165
Residual N effect of grazed white clover (*Trifolium repens*)/ryegrass (*Lolium perenne*) swards on subsequent yields of spring barley (Evans *et al.*), 175
Effect of sowing date and seed rate on the grain yield and protein content of winter barley (Conry and Hegarty), 279
***Brassica* crops**
Analysis of post-flowering compensatory growth in winter oilseed rape (*Brassica napus*) (Tommey and Evans), 301
Breeding
Comparative productivity and drought response of semi-tropical hybrids and open-pollinated varieties of sorghum (Blum *et al.*), 29
The response to selection of different procedures for the analysis of early generation variety trials (Cullis *et al.*), 141

Cassava, *see Manihot*
Cattle
Rate of production of protozoa in the rumen and the flow of protozoal nitrogen to the duodenum in sheep and cattle given a pelleted diet of lucerne hay and barley (Punia *et al.*), 229
Strategic milk progesterone testing for the detection of silent oestrus and anovulation in dairy cows (Williams and McLeod), 237
Forage mixtures for dairy cows: the effect on dry matter intake and milk production of incorporating different proportions of maize silage into diets based on grass silages of differing energy value (Phipps *et al.*), 379
Cereals
Comparative rates of emergence and leaf appearance in wild oats (*Avena fatua*), winter barley (*Hordeum sativum*) and winter wheat (*Triticum aestivum*) (Cousens *et al.*), 149
Clover, *see Trifolium*
Cotton, *see Gossypium*
Crop husbandry
Influence of soil type, crop management and weather on the recovery of ^{15}N-labelled fertilizer applied to winter wheat in spring (Powlson *et al.*), 83
Influence of variety, row type and time of sowing on the morphology, chemical composition and *in vitro* digestibility of barley straw (Capper *et al.*), 165
Effect of rates and timing of nitrogen fertilizer on the grain protein content of wheat (*Triticum aestivum*), grown in two contrasting seasons in South East England (Sajo *et al.*), 265
Effects of date of planting, date of harvesting and seed rate on yield of seed potato crops (O'Brien and Allen), 289
Crop position
Effects of herbicide use, fungicide use and position in the field on the yield and yield components of spring barley (Boatman), 17
Grain yield in determinate and indeterminate cultivars of *Vicia faba* with different plant distribution patterns and population densities (Stützel and Aufhammer), 343
Crops
Effects of poultry manure and mineral fertilizers on the yield of crops (Giardini *et al.*), 207
Effects of poultry manure and mineral fertilizers on the quality of crops (Pimpini *et al.*), 215

Deer
Early venison production from red deer (*Cervus elaphus*) as affected by grazing perennial or annual ryegrass pastures, pasture surface height and immunization against melatonin (Ataja *et al.*), 353
Effects of active immunization against LHRH and melatonin on growth and plasma hormone concentrations in red deer stags during their second year (Ataja *et al.*), 371
Diets
Maternal undernutrition during mid-pregnancy in sheep: variable effects on placental growth (McCrabb *et al.*), 127
Rate of production of protozoa in the rumen and the flow of protozoal nitrogen to the duodenum in sheep and cattle given a pelleted diet of lucerne hay and barley (Punia *et al.*), 229
Differentiation of the effects of protein status and acid–base balance on the appetite of sheep for lucerne silage (Phillip and Simpson), 249
Forage mixtures for dairy cows: the effect on dry matter intake and milk production of incorporating different proportions of maize silage into diets based on grass silages of differing energy value (Phipps *et al.*), 379
Digestibility
Influence of variety, row type and time of sowing on the morphology, chemical composition and *in vitro* digestibility of barley straw (Capper *et al.*), 165

Digestibility markers
Effect of non-uniform distribution of particle-associated markers on the measurement of duodenal digesta flow by the double-marker technique (Faichney), 119
Drought
Comparative productivity and drought response of semi-tropical hybrids and open-pollinated varieties of sorghum (Blum *et al.*), 29

Eggs
Hatchability of layers' eggs stored and incubated in different positions at 5500′ altitude (Arif *et al.*), 133

Faba bean, *see Vicia faba*
Field bean, *see Vicia faba*
Flooding
Optimum sowing date and nitrogen fertilizer rate for rice varieties under intermediate deepwater conditions (15–50 cm) (Sharma and Reddy), 179
Fodder crops
Potential, composition and use of legume shrubs and trees as fodders for livestock in the tropics (Topps), 1
Fruit crops
Influence of tree growth on spray chemical deposits on peach leaves (Hogmire *et al.*), 77
Glomus intraradix effects on citrus rootstock seedling growth in various potting media (Nemec), 315

Genetics
The location and effects of genes modifying the response of wheat to the herbicide difenzoquat (Leckie and Snape), 9
The response to selection of different procedures for the analysis of early generation variety trials (Cullis *et al.*), 141
Geranium, *see Pelargonium*
Gossypium
Critical concentrations of potassium in cotton (*Gossypium hirsutum*) (Singh *et al.*), 71
Grazing
Comparison of two varieties of Italian ryegrass (*Lolium multiflorum*) for milk production, when fed as silage and when grazed (Wilman *et al.*), 37
Variation in seasonal stocking rate and the dynamics of *Lotononis bainesii* in *Digitaria decumbens* pastures (Fujita and Humphreys), 47
Early venison production from red deer (*Cervus elaphus*) as affected by grazing perennial or annual ryegrass pastures, pasture surface height and immunization against melatonin (Ataja *et al.*), 353
Growth rate
Breed and sex differences in body composition of sheep in relation to maturity and growth rate (Gaili), 121
Early venison production from red deer (*Cervus elaphus*) as affected by grazing perennial or annual ryegrass pastures, pasture surface height and immunization against melatonin (Ataja *et al.*), 353
Effects of active immunization against LHRH and melatonin on growth and plasma hormone concentrations in red deer stags during their second year (Ataja *et al.*), 371
Growth stages
Comparative rates of emergence and leaf appearance in wild oats (*Avena fatua*), winter barley (*Hordeum sativum*) and winter wheat (*Triticum aestivum*) (Cousens *et al.*), 149
A field study of the number of main shoot leaves in wheat in relation to vernalization and photoperiod (Kirby), 271
Analysis of post-flowering compensatory growth in winter oilseed rape (*Brassica napus*) (Tommey and Evans), 301
Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 2. Growth and development in relation to yield (Silim and Saxena), 333

Hormones
Strategic milk progesterone testing for the detection of silent oestrus and anovulation in dairy cows (Williams and McLeod), 237
Effects of active immunization against LHRH and melatonin on growth and plasma hormone concentrations in red deer stags during their second year (Ataja *et al.*), 371
Hybrids
Comparative productivity and drought response of semi-tropical hybrids and open-pollinated varieties of sorghum (Blum *et al.*), 29

Intercropping
Effects of shifting and continuous cultivation of cassava (*Manihot esculenta*) intercropped with maize (*Zea mays*) on a forest alfisol in south-western Nigeria (Aweto *et al.*), 195
Ipomoea
Effects of various hand-weeding programmes on yield and components of yield of sweet potato (*Ipomoea batatas*) grown in the tropical lowlands of Papua New Guinea (Levett), 63
Irrigation
Moisture transport under cyclic trickle irrigations in different textured soils (Pal *et al.*), 109

Legumes
Potential, composition and use of legume shrubs and trees as fodders for livestock in the tropics (Topps), 1
Lolium
Comparison of two varieties of Italian ryegrass (*Lolium multiflorum*) for milk production, when fed as silage and when grazed (Wilman *et al.*), 37
Residual N effect of grazed white clover (*Trifolium repens*)/ryegrass (*Lolium perenne*) swards on subsequent yields of spring barley (Evans *et al.*), 175
Lucerne, *see Medicago*

Maize
Effects of shifting and continuous cultivation of cassava (*Manihot esculenta*) intercropped with maize (*Zea mays*) on a forest alfisol in south-western Nigeria (Aweto *et al.*), 195

Forage mixtures for dairy cows: the effect on dry matter intake and milk production of incorporating different proportions of maize silage into diets based on grass silages of differing energy value (Phipps *et al.*), 379

Manihot

Effects of shifting and continuous cultivation of cassava (*Manihot esculenta*) intercropped with maize (*Zea mays*) on a forest alfisol in south-western Nigeria (Aweto *et al.*), 195

Medicago

Differentiation of the effects of protein status and acid–base balance on the appetite of sheep for lucerne silage (Phillip and Simpson), 249

Milk production

Comparison of two varieties of Italian ryegrass (*Lolium multiflorum*) for milk production, when fed as silage and when grazed (Wilman *et al.*), 37

Forage mixtures for dairy cows: the effect on dry matter intake and milk production of incorporating different proportions of maize silage into diets based on grass silages of differing energy value (Phipps *et al.*), 379

Effect of sward height on herbage intake and production of ewes of different rearing rank during lactation (Parker and McCutcheon), 383

Minerals

Effects of poultry manure and mineral fertilizers on the yield of crops (Giardini *et al.*), 207

Effects of poultry manure and mineral fertilizers on the quality of crops (Pimpini *et al.*), 215

Mixed pastures

Variation in seasonal stocking rate and the dynamics of *Lotononis bainesii* in *Digitaria decumbens* pastures (Fujita and Humphreys), 47

Residual N effect of grazed white clover (*Trifolium repens*)/ryegrass (*Lolium perenne*) swards on subsequent yields of spring barley (Evans *et al.*), 175

Models

Predicting the emergence of potato sprouts (Firman *et al.*), 55

A field study of the number of main shoot leaves in wheat in relation to vernalization and photoperiod (Kirby), 271

Modelling Approaches to the Control of Agricultural Pollution (Agricultural and Related Industries Study Group), 397

Nitrogen

Nitrogen nutrition of wheat following different crops (Echeverría *et al.*), 157

Residual N effect of grazed white clover (*Trifolium repens*)/ryegrass (*Lolium perenne*) swards on subsequent yields of spring barley (Evans *et al.*), 175

Potential rates of denitrification in two field soils in southern England (Iqbal), 223

Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 1. Yield, yield components and nitrogen fixation (Silim and Saxena), 325

Nitrogen fertilizers

Influence of soil type, crop management and weather on the recovery of ^{15}N-labelled fertilizer applied to winter wheat in spring (Powlson *et al.*), 83

Partitioning losses of nitrogen fertilizer between leaching and denitrification (Addiscott and Powlson), 101

Optimum sowing date and nitrogen fertilizer rate for rice varieties under intermediate deepwater conditions (15–50 cm) (Sharma and Reddy), 179

Effects of straw incorporation on the yield, nitrogen fertilizer and insecticide requirements of sugarbeet (*Beta vulgaris*) (Allison *et al.*), 199

Effect of rates and timing of nitrogen fertilizer on the grain protein content of wheat (*Triticum aestivum*), grown in two contrasting seasons in South East England (Sajo *et al.*), 265

Oats

Comparative rates of emergence and leaf appearance in wild oats (*Avena fatua*), winter barley (*Hordeum sativum*) and winter wheat (*Triticum aestivum*) (Cousens *et al.*), 149

Oilseed rape, *see Brassica* crops

Organic fertilizers

Effects of poultry manure and mineral fertilizers on the yield of crops (Giardini *et al.*), 207

Effects of poultry manure and mineral fertilizers on the quality of crops (Pimpini *et al.*), 215

Ovulation

Strategic milk progesterone testing for the detection of silent oestrus and anovulation in dairy cows (Williams and McLeod), 237

Pastures

Variation in seasonal stocking rate and the dynamics of *Lotononis bainesii* in *Digitaria decumbens* pastures (Fujita and Humphreys), 47

Early venison production from red deer (*Cervus elaphus*) as affected by grazing perennial or annual ryegrass pastures, pasture surface height and immunization against melatonin (Ataja *et al.*), 353

Effect of sward height on herbage intake and production of ewes of different rearing rank during lactation (Parker and McCutcheon), 383

Pelargonium

Influence of planting date on plant losses and yield responses of geranium (*Pelargonium graveolens*) to root rot and wilt (Kalra *et al.*), 309

Pesticides

The location and effects of genes modifying the response of wheat to the herbicide difenzoquat (Leckie and Snape), 9

Effects of herbicide use, fungicide use and position in the field on the yield and yield components of spring barley (Boatman), 17

Influence of tree growth on spray chemical deposits on peach leaves (Hogmire *et al.*), 77

Effects of straw incorporation on the yield, nitrogen fertilizer and insecticide requirements of sugarbeet (*Beta vulgaris*) (Allison *et al.*), 199

Pests and diseases

Effect of *Haemonchus contortus* on productivity of ewes, lambs and weaners in a semi-arid environment (Cobon and O'Sullivan), 245

Influence of planting date on plant losses and yield responses of geranium (*Pelargonium graveolens*) to root rot and wilt (Kalra *et al.*), 309

Glomus intraradix effects on citrus rootstock seedling growth in various potting media (Nemec), 315

Plant habit
Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 1. Yield, yield components and nitrogen fixation (Silim and Saxena), 325
Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 2. Growth and development in relation to yield (Silim and Saxena), 333
Grain yield in determinate and indeterminate cultivars of *Vicia faba* with different plant distribution patterns and population densities (Stützel and Aufhammer), 343
Plant population density
Grain yield in determinate and indeterminate cultivars of *Vicia faba* with different plant distribution patterns and population densities (Stützel and Aufhammer), 343
Pollution
Modelling Approaches to the Control of Agricultural Pollution (Agricultural and Related Industries Study Group), 397
Potassium
Critical concentrations of potassium in cotton (*Gossypium hirsutum*) (Singh *et al.*), 71
Potato
Predicting the emergence of potato sprouts (Firman *et al.*), 55
An evaluation of small seed for ware-potato production (Allen *et al.*), 185
Effects of date of planting, date of harvesting and seed rate on yield of seed potato crops (O'Brien and Allen), 289
Poultry
Hatchability of layers' eggs stored and incubated in different positions at 5500′ altitude (Arif *et al.*), 133

Quality
Effects of poultry manure and mineral fertilizers on the quality of crops (Pimpini *et al.*), 215

Rape, *see Brassica* crops
Reproduction
Maternal undernutrition during mid-pregnancy in sheep: variable effects on placental growth (McCrabb *et al.*), 127
Rice
Optimum sowing date and nitrogen fertilizer rate for rice varieties under intermediate deepwater conditions (15–50 cm) (Sharma and Reddy), 179
Rumen
Effect of non-uniform distribution of particle-associated markers on the measurement of duodenal digesta flow by the double-marker technique (Faichney), 119
Rumen micro-organisms
Rate of production of protozoa in the rumen and the flow of protozoal nitrogen to the duodenum in sheep and cattle given a pelleted diet of lucerne hay and barley (Punia *et al.*), 229
Ruminants
Effect of non-uniform distribution of particle-associated markers on the measurement of duodenal digesta flow by the double-marker technique (Faichney), 119
Rate of production of protozoa in the rumen and the flow of protozoal nitrogen to the duodenum in sheep and cattle given a pelleted diet of lucerne hay and barley (Punia *et al.*), 229
Ryegrass, *see Lolium*

Sequential cropping
Nitrogen nutrition of wheat following different crops (Echeverría *et al.*), 157
Residual N effect of grazed white clover (*Trifolium repens*)/ryegrass (*Lolium perenne*) swards on subsequent yields of spring barley (Evans *et al.*), 175
Sheep
Breed and sex differences in body composition of sheep in relation to maturity and growth rate (Gaili), 121
Maternal undernutrition during mid-pregnancy in sheep: variable effects on placental growth (McCrabb *et al.*), 127
Rate of production of protozoa in the rumen and the flow of protozoal nitrogen to the duodenum in sheep and cattle given a pelleted diet of lucerne hay and barley (Punia *et al.*), 229
Effect of *Haemonchus contortus* on productivity of ewes, lambs and weaners in a semi-arid environment (Cobon and O'Sullivan), 245
Differentiation of the effects of protein status and acid–base balance on the appetite of sheep for lucerne silage (Phillip and Simpson), 249
Effect of sward height on herbage intake and production of ewes of different rearing rank during lactation (Parker and McCutcheon), 383
Silage
Comparison of two varieties of Italian ryegrass (*Lolium multiflorum*) for milk production, when fed as silage and when grazed (Wilman *et al.*), 37
Differentiation of the effects of protein status and acid–base balance on the appetite of sheep for lucerne silage (Phillip and Simpson), 249
Forage mixtures for dairy cows: the effect on dry matter intake and milk production of incorporating different proportions of maize silage into diets based on grass silages of differing energy value (Phipps *et al.*), 379
Soils
Influence of soil type, crop management and weather on the recovery of ^{15}N-labelled fertilizer applied to winter wheat in spring (Powlson *et al.*), 83
Partitioning losses of nitrogen fertilizer between leaching and denitrification (Addiscott and Powlson), 101
Moisture transport under cyclic trickle irrigations in different textured soils (Pal *et al.*), 109
Potential rates of denitrification in two field soils in southern England (Iqbal), 223
Glomus intraradix effects on citrus rootstock seedling growth in various potting media (Nemec), 315
Sorghum
Comparative productivity and drought response of semi-tropical hybrids and open-pollinated varieties of sorghum (Blum *et al.*), 29
Sowing date
Influence of variety, row type and time of sowing on the morphology, chemical composition and *in vitro* digestibility of barley straw (Capper *et al.*), 165
Optimum sowing date and nitrogen fertilizer rate for rice varieties under intermediate deepwater conditions (15–50 cm) (Sharma and Reddy), 179
Effect of sowing date and seed rate on the grain yield and

protein content of winter barley (Conry and Hegarty), 279
Effects of date of planting, date of harvesting and seed rate on yield of seed potato crops (O'Brien and Allen), 289

Sowing rates
Effect of sowing date and seed rate on the grain yield and protein content of winter barley (Conry and Hegarty), 279
Effects of date of planting, date of harvesting and seed rate on yield of seed potato crops (O'Brien and Allen), 289

Spraying
Influence of tree growth on spray chemical deposits on peach leaves (Hogmire *et al.*), 77

Straw
Influence of variety, row type and time of sowing on the morphology, chemical composition and *in vitro* digestibility of barley straw (Capper *et al.*), 165
Effects of straw incorporation on the yield, nitrogen fertilizer and insecticide requirements of sugarbeet (*Beta vulgaris*) (Allison *et al.*), 199

Sugarbeet
Effects of straw incorporation on the yield, nitrogen fertilizer and insecticide requirements of sugarbeet (*Beta vulgaris*) (Allison *et al.*), 199

Sweet potato, *see Ipomoea*

Techniques
Effect of non-uniform distribution of particle-associated markers on the measurement of duodenal digesta flow by the double-marker technique (Faichney), 119
The response to selection of different procedures for the analysis of early generation variety trials (Cullis *et al.*), 141

Trifolium
Residual N effect of grazed white clover (*Trifolium repens*)/ryegrass (*Lolium perenne*) swards on subsequent yields of spring barley (Evans *et al.*), 175

Tropical crops
Potential, composition and use of legume shrubs and trees as fodders for livestock in the tropics (Topps), 1
Variation in seasonal stocking rate and the dynamics of *Lotononis bainesii* in *Digitaria decumbens* pastures (Fujita and Humphreys), 47
Effects of various hand-weeding programmes on yield and components of yield of sweet potato (*Ipomoea batatas*) grown in the tropical lowlands of Papua New Guinea (Levett), 63
Effects of shifting and continuous cultivation of cassava (*Manihot esculenta*) intercropped with maize (*Zea mays*) on a forest alfisol in south-western Nigeria (Aweto *et al.*), 195
Influence of planting date on plant losses and yield responses of geranium (*Pelargonium graveolens*) to root rot and wilt (Kalra *et al.*), 309

Vicia faba
Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 1. Yield, yield components and nitrogen fixation (Silim and Saxena), 325
Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 2. Growth and development in relation to yield (Silim and Saxena), 333
Grain yield in determinate and indeterminate cultivars of *Vicia faba* with different plant distribution patterns and population densities (Stützel and Aufhammer), 343

Weeds
Effects of various hand-weeding programmes on yield and components of yield of sweet potato (*Ipomoea batatas*) grown in the tropical lowlands of Papua New Guinea (Levett), 63

Wheat
The location and effects of genes modifying the response of wheat to the herbicide difenzoquat (Leckie and Snape), 9
Influence of soil type, crop management and weather on the recovery of ^{15}N-labelled fertilizer applied to winter wheat in spring (Powlson *et al.*), 83
Comparative rates of emergence and leaf appearance in wild oats (*Avena fatua*), winter barley (*Hordeum sativum*) and winter wheat (*Triticum aestivum*) (Cousens *et al.*), 149
Nitrogen nutrition of wheat following different crops (Echeverría *et al.*), 157
Effect of rates and timing of nitrogen fertilizer on the grain protein content of wheat (*Triticum aestivum*), grown in two contrasting seasons in South East England (Sajo *et al.*), 265
A field study of the number of main shoot leaves in wheat in relation to vernalization and photoperiod (Kirby), 271

White clover, *see Trifolium*

Yield
An evaluation of small seed for ware-potato production (Allen *et al.*), 185
Effects of straw incorporation on the yield, nitrogen fertilizer and insecticide requirements of sugarbeet (*Beta vulgaris*) (Allison *et al.*), 199
Effects of poultry manure and mineral fertilizers on the yield of crops (Giardini *et al.*), 207
Effect of rates and timing of nitrogen fertilizer on the grain protein content of wheat (*Triticum aestivum*), grown in two contrasting seasons in South East England (Sajo *et al.*), 265
Effect of sowing date and seed rate on the grain yield and protein content of winter barley (Conry and Hegarty), 279
Effects of date of planting, date of harvesting and seed rate on yield of seed potato crops (O'Brien and Allen), 289
Influence of planting date on plant losses and yield responses of geranium (*Pelargonium graveolens*) to root rot and wilt (Kalra *et al.*), 309
Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 2. Growth and development in relation to yield (Silim and Saxena), 333

Yield components
Effects of herbicide use, fungicide use and position in the field on the yield and yield components of spring barley (Boatman), 17
Effects of various hand-weeding programmes on yield and components of yield of sweet potato (*Ipomoea batatas*) grown in the tropical lowlands of Papua New Guinea (Levett), 63
Comparative performance of some faba bean (*Vicia faba*) cultivars of contrasting plant types. 1. Yield, yield components and nitrogen fixation (Silim and Saxena), 325